



**PORT ANGELES COMPOSITE
GALES ADDITION WATER DISTRICT
WATER QUALITY REPORT FOR 2010
(DOH #432960)**

Dear Water Customer:

We're pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services you have been receiving over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. *Informed customers are our best allies in maintaining safe drinking water!*

We encourage public interest and participation in our community's decisions affecting drinking water. Regular meetings with the District's Board of Commissioners are held each Monday at our Port Angeles office (2431 Highway 101 East) at 1:30 p.m. The public is welcome. You may also learn more about PUD #1 of Clallam County by contacting our website at www.clallampud.net, or by calling 360-452-9771 or toll free at 1-800-542-7859.

WATER SYSTEM INFORMATION

Water Source and Treatment: This system's primary water source is purchased water from the City of Port Angeles. The City's water source is groundwater from the Ranney Collector (well) located on the east bank of the Elwha River. Their DOH system identification number is 68550M.

The City's new water treatment facility went on line in April 2010. Potable water produced by the City is chlorinated and fluoridated to optimal levels at the source. Water purchased from the City is rechlorinated and stored at the District's 525,000-gallon Gales Addition Reservoir. From this reservoir, potable water flows back to the eastern portion of Gales Addition, Morse Creek Canyon, Lower Monroe Road, and Mt. Pleasant Road areas. Under emergency conditions, water may also be diverted from the Morse Creek Treatment Plant to provide water to these areas.

The western portion of Gales Addition (west of Lees Creek) is provided water directly from a connection with the City's water main. If necessary, this area could also receive water from the Gales Addition Reservoir.

Also from the Gales Addition Reservoir, water is pumped to a 130,000-gallon reservoir for service to the Monroe Road / L.U.D. #2 area; and up to two 60,000-gallon reservoirs to serve the Mt. Angeles Road / L.U.D. #3 area.

Water quality testing and monitoring of this water system is completed daily by certified District personnel. *We are pleased to report that the water provided by the District meets or exceeds established water quality standards.*

Water Quality Data: During the past year we have taken numerous water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic and/or synthetic organic contaminants. The table below shows only those contaminants that were detected in the water. The DOH allows us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the date the sample was taken. All monitoring results of regulated and unregulated contaminants are available at our Port Angeles office.

Water Quality Data Table Definitions:

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.

Action Level or AL: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variations and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Key to the Water Quality Data Table:

AL	= Action Level	NA / ND	= Not Applicable / Not Detectable
MCL	= Maximum Contaminant Level	pCi/L	= picocuries per liter (a measure of radioactivity)
MCLG	= Maximum Contaminant Level Goal	ppm	= parts per million, or milligrams per liter (mg/l)
MFL	= million fibers per liter	ppb	= parts per billion, or micrograms per liter (µg/l)
mrem/year	= millirems per year (a measure of radiation absorbed by the body)	ppt	= parts per trillion, or nanograms per liter
NTU	= Nephelometric Turbidity Units	ppq	= parts per quadrillion, or picograms per liter
		TT	= Treatment Technique

Regulated Water Quality Data Table:

Contaminant	Sample Date	Unit	MCL	MCLG	Detected Level	Range	Violation	Major Sources
CITY OF PORT ANGELES WATER SOURCE (GALES ADDITION / MONROE ROAD / MT. ANGELES ROAD AREAS):								
Disinfection Byproducts (DBPs)								
Total Trihalomethanes	Quarterly	ppb	80	NA	5.2 Avg	0-80	NO	Byproduct of drinking water chlorination.
Halo-Acetic Acids	Quarterly	ppb	60	NA	1.5 Avg	0-60	NO	Byproduct of drinking water chlorination.
Total Organic Carbons (by City of Port Angeles)	Quarterly	ppm	8	NA	0.25 Avg	0-8	NO	Naturally present in the environment.
CITY OF PORT ANGELES WATER SOURCE (GALES ADDITION / MONROE ROAD / MT. ANGELES ROAD AREAS):								
Inorganic Contaminants								
Lead	8/6/08	ppb	AL=15	0	2	NA	NO	Corrosion of household plumbing; erosion of natural deposits.
Copper	8/6/08	ppm	AL=1.3	1.3	0.67	NA	NO	Corrosion of household plumbing; erosion of natural deposits.
Fluoride (tested by City of Port Angeles)	Monthly	ppm	4	2	1.02 Avg	NA	NO	Water additive which promotes strong teeth and is regulated by the State.

Water Quality Table Footnotes: If you have questions about the potential health effects of Lead or Copper in drinking water, please visit the DOH website at <http://www.doh.wa.gov/ehp/dw/> and select a contaminant for detailed information.

Other Test Results:

Chlorine Residual: Chlorine is used as a disinfectant in the water treatment process, and should be detectable in at least 95% of the samples taken each month. All of the samples taken for this water system showed a chlorine residual.

Total Coliform Bacteria: Zero Coliform Bacteria were detected in the monthly samples collected. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present.

Hardness: Calcium and Magnesium are naturally occurring minerals in groundwater. These minerals are measured to determine water hardness. Hardness interferes with the sudsing action of soap. According to the U.S. Geological Survey, the scale of hardness is: 0-55 mg/l = Soft; 55-100 mg/l = Slightly Hard; 100-200 mg/l = Moderately Hard; >200 = Very Hard. Hardness for this system (from sample taken in Sept. 2009) showed 49.3 mg/l. Appliance manufacturers convert this number into Grains per Gallon by dividing it by 17.1 (e.g., 49.3 mg/l / 17.1 = 2.88 Grains per Gallon).

Fluoride is a natural substance found in varying degrees in almost all water supplies. The City of Port Angeles started adding optimal levels of fluoride in May 2006 to promote healthy teeth. As of January 31, 2011 the City lowered the amount of fluoride added from 1 ppm to .8 ppm in response to a change in current Federal fluoridation guidelines.

If you have any health-related questions about fluoridated water, please call the Clallam County Health Department at (360) 417.2377 or visit their website at www.clallam.net/HealthServices. We recommend that you notify your family dentist and physician that you are now provided optimum fluoride levels in your potable (drinking) water supply. This is especially important for infants (whose diet consist mostly of liquids, such as baby formulas or concentrated juices mixed with water) and the elderly.

Additional Health Information: The Environmental Protection Agency (EPA) regulates the amount of certain contaminants in the water that is provided by public water systems. However, Food and Drug Administration (FDA) regulations were established to limit the contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1.800.426.4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Source Water Assessment: The DOH has completed a source water assessment for this system. All surface waters and/or groundwater under the influence of surface water in Washington are given a susceptibility rating of high, regardless of whether contaminants have been detected or whether there are any sources of contaminants in the watershed or runoff areas to the river or creek. A copy of the report can be found on the DOH website: <http://www4.doh.wa.gov/dw/swap/app/login.cfm?app=maps>.

Contaminants that may be present in source water include:

- (A) *Microbial contaminants*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) *Inorganic contaminants*, such as salts and metals, which can be naturally-occurring or result from urban storm runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- (C) *Pesticides and herbicides*, which may come from a variety of sources such as agriculture, stormwater runoff, and residential uses.
- (D) *Organic chemical contaminants*, including synthetic and volatile organics, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff and septic systems.
- (E) *Radioactive contaminants*, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Some people may be more vulnerable to contaminants in drinking water than is the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the EPA's Safe Drinking Water Hotline (1.800.426.4791).

Partners in Conservation: Water is essential to every dimension of life, yet less than 1 percent of the Earth's water supply is fit and available for human consumption. As demand for water continues to increase, every drop of water is becoming more important than ever before.

The DOH has adopted a rule that establishes water use efficiency (WUE) requirements for all municipal water suppliers. Water use efficiency will help us conserve water for the environment and future generations. It will also enhance public health by improving water system efficiency and reliability.

A few primary elements of this rule include improving operational efficiency; evaluating and reporting water production and usage; and reducing water leaks both on the distribution side and the customer side of the water system. The table below lists production amounts vs. purchased/authorized usage and the percentage difference of the unaccounted-for or probable system leakage. The goal is to account for a minimum of 90% of water produced.

Distribution System Leakage Summary (in millions of gallons: 1 cubic foot = 7.48 gallons)	
Total Water Produced – Annual Volume	107.7
Total Water Purchased and Authorized Usage – Annual Volume	107.35
Distribution Unaccounted-for or System Leakage – Percent	0.3

Together we can keep the percentage to 10% or less, and save water and money in the process! Here are some tips to work towards this goal and to be more water efficient:

- If you see an odd wet spot in a normally dry area, call the PUD.
- Someone other than the Fire Dept. or PUD using a fire hydrant, call the PUD.
- Run your washing machine and dishwasher only when they are full.
- Turn off the tap when brushing your teeth, washing, shaving, or cleaning fruits and vegetables.
- Check every faucet inside and outside your home for leaks; a slow drip can waste 15 to 20 gallons a day. Fix it and you could save up to 6,000 gallons a year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible toilet leak. Fix it and you could save more than 30,000 gallons a year.

- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances. Write down the numbers across the face of the meter. Then check the water meter after 30 minutes. If the numbers increased at all, you have a leak.
 - Ask your local nursery about landscaping with native plants.
 - For deep root and drought tolerance, water your plants deeply, but less often.
-
- Replace old water appliances with Energy Star appliances – get a PUD REBATE: www.clallampud.net.
 - Water wasted is water lost. For more information, go to these web-sites: www.wateruseitwisely.com and www.h2ouse.org.

Abbreviated Terms Used in This Report (alphabetical order):

AIDS: Acquired Immune Deficiency Syndrome	FDA: Food and Drug Administration
CDC: Centers for Disease Control	HIV: Human Immuno-Deficiency Virus
DOH: (Washington State) Department of Health	MGD: Million Gallons per Day
EPA: Environmental Protection Agency	WUE: Water Use Efficiency

No matter how we grow, we continually strive to fulfill our mission:

Providing reliable, efficient, safe, and low cost utility services in a financially and environmentally responsible manner.

For more information or questions regarding this report, please call PUD #1 of Clallam County at 360.565.3254.